

| Item    | model        | Description             | Max cont.<br>discharge<br>(Crate/current) | Max Burst<br>(3Sec)<br>(Crate/current) | Approx.<br>dimensions H x W<br>x L (mm) | Approx.<br>Weight<br>(g) | Wh     | Notes                      |
|---------|--------------|-------------------------|---|--|---|--------------------------|--------|----------------------------|
| 8608551 | SM800XT-1    | 3.7V 800mAh 1cell       | 55C(44.0A)                                | 80C(64.0A)                             | 6.6x30x55                               | 23                       | 2.96   |                            |
| 8608552 | SM800XT-2    | 7.4V 800mAh 2cell       | 55C(44.0A)                                | 80C(64.0A)                             | 14x31x59                                | 55                       | 5.92   | With JST connector         |
| 8608553 | SM800XT-3    | 11.1V 800mAh 3cell      | 55C(44.0A)                                | 80C(64.0A)                             | 21x31x59                                | 78                       | 8.88   | With JST-for TREX 250, etc |
|         |              |                         |   |  |   |                          |        |                            |
| 8612551 | SM1200XT-1   | 3.7V 1200mAh 1cell      | 55C(66.0A)                                | 80C(96.0A)                             | 8.0x30x60                               | 32                       | 4.44   |                            |
| 8612552 | SM1200XT-2   | 7.4V 1200mAh 2cell      | 55C(66.0A)                                | 80C(96.0A)                             | 17.0x31x64                              | 78                       | 8.88   |                            |
| 8612553 | SM1200XT-3   | 11.1V 1200mAh 3cell     | 55C(66.0A)                                | 80C(96.0A)                             | 25x31x64                                | 115                      | 13.32  |                            |
|         |              |                         |   |  |   |                          |        |                            |
| 8618551 | SM1800XT-1   | 3.7V 1800mAh 1cell      | 55C(99.0A)                                | 80C(144.0A)                            | 8.0x30x90                               | 48                       | 6.66   |                            |
| 8618552 | SM1800XT-2   | 7.4V 1800mAh 2cell      | 55C(99.0A)                                | 80C(144.0A)                            | 16.5x31x95                              | 103                      | 13.32  |                            |
| 8618553 | SM1800XT-3   | 11.1V 1800mAh 3cell     | 55C(99.0A)                                | 80C(144.0A)                            | 24.5x31x95                              | 150                      | 19.98  |                            |
| 8618554 | SM1800XT-4   | 14.8V 1800mAh 4cell     | 55C(99.0A)                                | 80C(144.0A)                            | 32.5x31x95                              | 194                      | 26.64  |                            |
|         |              |                         |   |  |   |                          |        |                            |
| 8622551 | SM2200XT-1   | 3.7V 2200mAh 1cell      | 55C(121.0A)                               | 80C(176.0A)                            | 8.4x34x96                               | 59                       | 8.14   |                            |
| 8622552 | SM2200XT-2   | 7.4V 2200mAh 2cell      | 55C(121.0A)                               | 80C(176.0A)                            | 17.8x35x101                             | 132.6                    | 16.28  |                            |
| 8622553 | SM2200XT-3   | 11.1V 2200mAh 3cell     | 55C(121.0A)                               | 80C(176.0A)                            | 26.2x35x101                             | 193                      | 24.42  | for T-REX 450, etc         |
| 8622554 | SM2200XT-4   | 14.8V 2200mAh 4cell     | 55C(121.0A)                               | 80C(176.0A)                            | 34.6x35x101                             | 249.5                    | 32.56  |                            |
| 8622555 | SM2200XT-5   | 18.5V 2200mAh 5cell     | 55C(121.0A)                               | 80C(176.0A)                            | 43x35x102                               | 308.8                    | 40.7   |                            |
| 8622556 | SM2200XT-6   | 22.2V 2200mAh 6cell     | 55C(121.0A)                               | 80C(176.0A)                            | 51x35x102                               | 370                      | 48.84  | for T-REX 500, etc         |
|         |              |                         |   |  |   |                          |        |                            |
| 8626551 | SM2600XT-1   | 3.7V 2600mAh 1cell      | 55C(143.0A)                               | 80C(208.0A)                            | 6.8x38x120                              | 69                       | 9.62   |                            |
| 8626552 | SM2600XT-2   | 7.4V 2600mAh 2cell      | 55C(143.0A)                               | 80C(208.0A)                            | 14.5x39x126                             | 148.5                    | 19.24  |                            |
| 8626553 | SM2600XT-3   | 11.1V 2600mAh 3cell     | 55C(143.0A)                               | 80C(208.0A)                            | 21.5x39x126                             | 218.5                    | 28.86  |                            |
| 8626554 | SM2600XT-4   | 14.8V 2600mAh 4cell     | 55C(143.0A)                               | 80C(208.0A)                            | 29.5x39x126                             | 283.5                    | 38.48  |                            |
| 8626555 | SM2600XT-5   | 18.5V 2600mAh 5cell     | 55C(143.0A)                               | 80C(208.0A)                            | 35.5x39x126                             | 351                      | 48.1   |                            |
| 8626556 | SM2600XT-6   | 22.2V 2600mAh 6cell     | 55C(143.0A)                               | 80C(208.0A)                            | 42.5x39x126                             | 423                      | 57.72  | for T-REX 500, etc         |
|         |              |                         |   |  |   |                          |        |                            |
| 8632551 | SM3200XT-1   | 3.7V 3200mAh 1cell      | 55C(176.0A)                               | 80C(256.0A)                            | 6.9x43x130                              | 85                       | 11.84  |                            |
| 8632552 | SM3200XT-2   | 7.4V 3200mAh 2cell      | 55C(176.0A)                               | 80C(256.0A)                            | 14.5x44x135                             | 192                      | 23.68  |                            |
| 8632553 | SM3200XT-3   | 11.1V 3200mAh 3cell     | 55C(176.0A)                               | 80C(256.0A)                            | 22x44x135                               | 284                      | 35.52  |                            |
| 8632554 | SM3200XT-4   | 14.8V 3200mAh 4cell     | 55C(176.0A)                               | 80C(256.0A)                            | 29.2x44x135                             | 366                      | 47.36  |                            |
| 8632555 | SM3200XT-5   | 18.5V 3200mAh 5cell     | 55C(176.0A)                               | 80C(256.0A)                            | 36.5x44x136                             | 454                      | 59.2   |                            |
| 8632556 | SM3200XT-6   | 22.2V 3200mAh 6cell     | 55C(176.0A)                               | 80C(256.0A)                            | 43.5x44x136                             | 536                      | 71.04  |                            |
| 86325L6 | SM3200XT-6L  | 22.2V 3200mAh 6cell     | 55C(176.0A)                               | 80C(256.0A)                            | 23x47x272                               | 584                      | 71.04  | Long Configuration         |
| 8632557 | SM3200XT-7   | 25.9V 3200mAh 7cell     | 55C(176.0A)                               | 80C(256.0A)                            | 50.5x44.5x136                           | 630                      | 82.88  |                            |
| 8632558 | SM3200XT-8   | 29.6V 3200mAh 8cell     | 55C(176.0A)                               | 80C(256.0A)                            | 58x44.5x137                             | 712                      | 94.72  |                            |
| 86325L8 | SM3200XT-8L  | 29.6V 3200mAh 8cell     | 55C(176.0A)                               | 80C(256.0A)                            | 30.2x47x272                             | 755                      | 94.72  | Long Configuration         |
| 8632559 | SM3200XT-9   | 33.3V 3200mAh 9cell     | 55C(176.0A)                               | 80C(256.0A)                            | 65x44.5x137                             | 802                      | 106.56 |                            |
| 8632550 | SM3200XT-10  | 37.0V 3200mAh<br>10cell | 55C(176.0A)                               | 80C(256.0A)                            | 72x44.5x137                             | 885                      | 118.4  |                            |
| 86325L0 | SM3200XT-10L | 37.0V 3200mAh<br>10cell | 55C(176.0A)                               | 80C(256.0A)                            | 37.5x47x272                             | 926                      | 118.4  | Long Configuration         |
|         |              |                         |   |  |   |                          |        |                            |
| 8637551 | SM3700XT-1   | 3.7V 3700mAh 1cell      | 55C(203.5A)                               | 80C(296.0A)                            | 7.8x43x130                              | 96                       | 13.69  |                            |
| 8637552 | SM3700XT-2   | 7.4V 3700mAh 2cell      | 55C(203.5A)                               | 80C(296.0A)                            | 16.2x44x135                             | 220                      | 27.38  |                            |
| 8637553 | SM3700XT-3   | 11.1V 3700mAh 3cell     | 55C(203.5A)                               | 80C(296.0A)                            | 24.4x44x135                             | 320                      | 41.07  |                            |
| 8637554 | SM3700XT-4   | 14.8V 3700mAh 4cell     | 55C(203.5A)                               | 80C(296.0A)                            | 32.2x44x135                             | 414                      | 54.76  |                            |
| 8637555 | SM3700XT-5   | 18.5V 3700mAh 5cell     | 55C(203.5A)                               | 80C(296.0A)                            | 40.5x44x136                             | 515                      | 68.45  |                            |
| 8637556 | SM3700XT-6   | 22.2V 3700mAh 6cell     | 55C(203.5A)                               | 80C(296.0A)                            | 48.3x44x136                             | 608                      | 82.14  |                            |

|         |              |                         |             |             |               |      |        |                    |
|---------|--------------|-------------------------|-------------|-------------|---------------|------|--------|--------------------|
| 86375L6 | SM3700XT-6L  | 22.2V 3700mAh 6cell     | 55C(203.5A) | 80C(296.0A) | 25.4x47x272   | 656  | 82.14  | Long Configuration |
| 8637557 | SM3700XT-7   | 25.9V 3700mAh 7cell     | 55C(203.5A) | 80C(296.0A) | 56.5x44.5x136 | 712  | 95.83  |                    |
| 8637558 | SM3700XT-8   | 29.6V 3700mAh 8cell     | 55C(203.5A) | 80C(296.0A) | 64.5x44.5x137 | 800  | 109.52 |                    |
| 86375L8 | SM3700XT-8L  | 29.6V 3700mAh 8cell     | 55C(203.5A) | 80C(296.0A) | 33.2x47x272   | 848  | 109.52 | Long Configuration |
| 8637559 | SM3700XT-9   | 33.3V 3700mAh 9cell     | 55C(203.5A) | 80C(296.0A) | 72.8x44.5x137 | 902  | 123.21 |                    |
| 8637550 | SM3700XT-10  | 37.0V 3700mAh<br>10cell | 55C(203.5A) | 80C(296.0A) | 80.5x44.5x137 | 992  | 136.9  |                    |
| 86375L0 | SM3700XT-10L | 37.0V 3700mAh<br>10cell | 55C(203.5A) | 80C(296.0A) | 41.5x47x272   | 1043 | 136.9  | Long Configuration |
|         |              |                         |             |             |               |      |        |                    |
| 8644551 | SM4400XT-1   | 3.7V 4400mAh 1cell      | 55C(242.0A) | 80C(352.0A) | 7.8x45x148    | 113  | 16.28  |                    |
| 8644552 | SM4400XT-2   | 7.4V 4400mAh 2cell      | 55C(242.0A) | 80C(352.0A) | 16X46X155     | 254  | 32.56  |                    |
| 8644553 | SM4400XT-3   | 11.1V 4400mAh 3cell     | 55C(242.0A) | 80C(352.0A) | 24X46X155     | 378  | 48.84  |                    |
| 8644554 | SM4400XT-4   | 14.8V 4400mAh 4cell     | 55C(242.0A) | 80C(352.0A) | 32.2X46X155   | 482  | 65.12  |                    |
| 8644555 | SM4400XT-5   | 18.5V 4400mAh 5cell     | 55C(242.0A) | 80C(352.0A) | 40.5X46X156   | 602  | 81.4   |                    |
| 8644556 | SM4400XT-6   | 22.2V 4400mAh 6cell     | 55C(242.0A) | 80C(352.0A) | 48.6X46X156   | 710  | 97.68  |                    |
| 86445L6 | SM4400XT-6L  | 22.2V 4400mAh 6cell     | 55C(242.0A) | 80C(352.0A) | 25x48x310     | 768  | 97.68  | Long Configuration |
| 8644557 | SM4400XT-7   | 25.9V 4400mAh 7cell     | 55C(242.0A) | 80C(352.0A) | 56.5X46.5X156 | 829  | 113.96 |                    |
| 8644558 | SM4400XT-8   | 29.6V 4400mAh 8cell     | 55C(242.0A) | 80C(352.0A) | 64.5X46.5X157 | 936  | 130.24 |                    |
| 86445L8 | SM4400XT-8L  | 29.6V 4400mAh 8cell     | 55C(242.0A) | 80C(352.0A) | 33.2x48x310   | 996  | 130.24 | Long Configuration |
| 8644559 | SM4400XT-9   | 33.3V 4400mAh 9cell     | 55C(242.0A) | 80C(352.0A) | 72.5X46.5X157 | 1057 | 146.52 |                    |
| 8644550 | SM4400XT-0   | 37.0V 4400mAh<br>10cell | 55C(242.0A) | 80C(352.0A) | 80.5X46.5X157 | 1166 | 162.8  |                    |
| 86445L0 | SM4400XT-0L  | 37.0V 4400mAh<br>10cell | 55C(242.0A) | 80C(352.0A) | 41.5x48x310   | 1225 | 162.8  | Long Configuration |
|         |              |                         |             |             |               |      |        |                    |
| 8650551 | SM5000XT-1   | 3.7V 5000mAh 1cell      | 55C(275.0A) | 80C(400.0A) | 8.7x45x148    | 126  | 18.5   |                    |
| 8650552 | SM5000XT-2   | 7.4V 5000mAh 2cell      | 55C(275.0A) | 80C(400.0A) | 17.8X46X155   | 280  | 37     |                    |
| 8650553 | SM5000XT-3   | 11.1V 5000mAh 3cell     | 55C(275.0A) | 80C(400.0A) | 26.6X46X155   | 414  | 55.5   |                    |
| 8650554 | SM5000XT-4   | 14.8V 5000mAh 4cell     | 55C(275.0A) | 80C(400.0A) | 36X46X155     | 534  | 74     |                    |
| 8650555 | SM5000XT-5   | 18.5V 5000mAh 5cell     | 55C(275.0A) | 80C(400.0A) | 45X46X156     | 667  | 92.5   |                    |
| 8650556 | SM5000XT-6   | 22.2V 5000mAh 6cell     | 55C(275.0A) | 80C(400.0A) | 53.8X46X156   | 788  | 111    |                    |
| 86505L6 | SM5000XT-6L  | 22.2V 5000mAh 6cell     | 55C(275.0A) | 80C(400.0A) | 27.6x48x310   | 846  | 111    | Long Configuration |
| 8650557 | SM5000XT-7   | 25.9V 5000mAh 7cell     | 55C(275.0A) | 80C(400.0A) | 62.8X46.5X156 | 920  | 129.5  |                    |
| 8650558 | SM5000XT-8   | 29.6V 5000mAh 8cell     | 55C(275.0A) | 80C(400.0A) | 71.6X46.5X157 | 1040 | 148    |                    |
| 86505L8 | SM5000XT-8L  | 29.6V 5000mAh 8cell     | 55C(275.0A) | 80C(400.0A) | 37x48x310     | 1100 | 148    | Long Configuration |
| 8650559 | SM5000XT-9   | 33.3V 5000mAh 9cell     | 55C(275.0A) | 80C(400.0A) | 80.5X46.5X157 | 1174 | 166.5  |                    |
| 8650550 | SM5000XT-0   | 37.0V 5000mAh<br>10cell | 55C(275.0A) | 80C(400.0A) | 89.5X46.5X157 | 1296 | 185    |                    |
| 86505L0 | SM5000XT-0L  | 37.0V 5000mAh<br>10cell | 55C(275.0A) | 80C(400.0A) | 46x48x310     | 1355 | 185    | Long Configuration |

| Item    | model     | Description        | Max cont.<br>discharge<br>(Crate/current) | Max Burst<br>(3Sec)<br>(Crate/current) | Approx.<br>dimensions H x W<br>x L (mm) | Approx.<br>Weight<br>(g) | Wh   | Notes              |
|---------|-----------|--------------------|---|--|---|--------------------------|------|--------------------|
| 8635351 | SM350XP-1 | 3.7V 350mAh 1cell  | 35C(12.25A)                               | 70C(24.5A)                             | 5.6x25x40                               | 10.5                     | 1.3  | With JST connector |
| 8635352 | SM350XP-2 | 7.4V 350mAh 2cell  | 35C(12.25A)                               | 70C(24.5A)                             | 12x26x44                                | 24                       | 2.59 | With JST connector |
| 8635353 | SM350XP-3 | 11.1V 350mAh 3cell | 35C(12.25A)                               | 70C(24.5A)                             | 18x26x44                                | 34.5                     | 3.89 | With JST connector |
|         |           |                    |   |  |   |                          |      |                    |
| 8645351 | SM450XP-1 | 3.7V 450mAh 1cell  | 35C(15.75A)                               | 70C(31.5A)                             | 4.0x30x48                               | 12.5                     | 1.67 |                    |
| 8645352 | SM450XP-2 | 7.4V 450mAh 2cell  | 35C(15.75A)                               | 70C(31.5A)                             | 9x31x52                                 | 29.5                     | 3.33 |                    |
| 8645353 | SM450XP-3 | 11.1V 450mAh 3cell | 35C(15.75A)                               | 70C(31.5A)                             | 13.5x31x52                              | 42.6                     | 5    |                    |
|         |           |                    |   |  |   |                          |      |                    |
| 8660351 | SM600XP-1 | 3.7V 600mAh 1cell  | 35C(21.0A)                                | 70C(42.0A)                             | 5.3x30x48                               | 16.7                     | 2.22 |                    |
| 8660352 | SM600XP-2 | 7.4V 600mAh 2cell  | 35C(21.0A)                                | 70C(42.0A)                             | 12x31x52                                | 38                       | 4.44 |                    |

|         |              |                     |             |             |               |       |       |                    |
|---------|--------------|---------------------|-------------|-------------|---------------|-------|-------|--------------------|
| 8660353 | SM600XP-3    | 11.1V 600mAh 3cell  | 35C(21.0A)  | 70C(42.0A)  | 16.5x31x52    | 55.9  | 6.66  |                    |
|         |              |                     |             |             |               |       |       |                    |
| 8610351 | SM1000XP-1   | 3.7V 1000mAh 1cell  | 35C(35.0A)  | 70C(70.0A)  | 5.8x34x62     | 27    | 3.7   |                    |
| 8610352 | SM1000XP-2   | 7.4V 1000mAh 2cell  | 35C(35.0A)  | 70C(70.0A)  | 12.5x35x66    | 60    | 7.4   |                    |
| 8610353 | SM1000XP-3   | 11.1V 1000mAh 3cell | 35C(35.0A)  | 70C(70.0A)  | 18.5x35x66    | 87    | 11.1  |                    |
|         |              |                     |             |             |               |       |       |                    |
| 8613351 | SM1300XP-1   | 3.7V 1300mAh 1cell  | 35C(45.5A)  | 70C(91.0A)  | 7.0x34x62     | 33    | 4.81  |                    |
| 86133P2 | SM1300XP-2JP | 7.4V 1300mAh 2cell  | 35C(45.5A)  | 70C(91.0A)  | 15x35x66      | 73    | 9.62  | With JST connector |
| 86133P3 | SM1300XP-3JP | 11.1V 1300mAh 3cell | 35C(45.5A)  | 70C(91.0A)  | 22.5x35x66    | 128.5 | 14.43 | With JST connector |
| 8613352 | SM1300XP-2   | 7.4V 1300mAh 2cell  | 35C(45.5A)  | 70C(91.0A)  | 15x35x66      | 73    | 9.62  |                    |
| 8613353 | SM1300XP-3   | 11.1V 1300mAh 3cell | 35C(45.5A)  | 70C(91.0A)  | 22.5x35x66    | 128.5 | 14.43 |                    |
| 8613354 | SM1300XP-4   | 14.8V 1300mAh 4cell | 35C(45.5A)  | 70C(91.0A)  | 29.5x35x66    | 153   | 19.24 |                    |
|         |              |                     |             |             |               |       |       |                    |
| 8618351 | SM1800XP-1   | 3.7V 1800mAh 1cell  | 35C(63.0A)  | 70C(126.0A) | 6.3x34x96     | 45.8  | 6.66  |                    |
| 8618352 | SM1800XP-2   | 7.4V 1800mAh 2cell  | 35C(63.0A)  | 70C(126.0A) | 13.5x35x101   | 106.3 | 13.32 |                    |
| 8618353 | SM1800XP-3   | 11.1V 1800mAh 3cell | 35C(63.0A)  | 70C(126.0A) | 19.5x35x101   | 150.8 | 19.98 |                    |
| 8618354 | SM1800XP-4   | 14.8V 1800mAh 4cell | 35C(63.0A)  | 70C(126.0A) | 26x35x101     | 197   | 26.64 |                    |
|         |              |                     |             |             |               |       |       |                    |
| 8622351 | SM2200XP-1   | 3.7V 2200mAh 1cell  | 35C(77.0A)  | 70C(154.0A) | 7.8x34x96     | 56    | 8.14  |                    |
| 8622352 | SM2200XP-2   | 7.4V 2200mAh 2cell  | 35C(77.0A)  | 70C(154.0A) | 16.5x35x101   | 123.5 | 16.28 |                    |
| 8622353 | SM2200XP-3   | 11.1V 2200mAh 3cell | 35C(77.0A)  | 70C(154.0A) | 24x35x101     | 178   | 24.42 | for T-REX 450, etc |
| 8622354 | SM2200XP-4   | 14.8V 2200mAh 4cell | 35C(77.0A)  | 70C(154.0A) | 32x35x101     | 233   | 32.56 |                    |
| 8622355 | SM2200XP-5   | 18.5V 2200mAh 5cell | 35C(77.0A)  | 70C(154.0A) | 40x35x102     | 290   | 40.7  |                    |
| 8622356 | SM2200XP-6   | 22.2V 2200mAh 6cell | 35C(77.0A)  | 70C(154.0A) | 47.5x35x102   | 341.1 | 48.84 | for T-REX 500, etc |
|         |              |                     |             |             |               |       |       |                    |
| 8626351 | SM2600XP-1   | 3.7V 2600mAh 1cell  | 35C(91.0A)  | 70C(182.0A) | 6.8x38x110    | 66    | 9.62  |                    |
| 8626352 | SM2600XP-2   | 7.4V 2600mAh 2cell  | 35C(91.0A)  | 70C(182.0A) | 14.0x39x116   | 136.6 | 19.24 |                    |
| 8626353 | SM2600XP-3   | 11.1V 2600mAh 3cell | 35C(91.0A)  | 70C(182.0A) | 21.0x39x116   | 202.5 | 28.86 |                    |
| 8626354 | SM2600XP-4   | 14.8V 2600mAh 4cell | 35C(91.0A)  | 70C(182.0A) | 27.5x39x116   | 268.5 | 38.48 |                    |
| 8626355 | SM2600XP-5   | 18.5V 2600mAh 5cell | 35C(91.0A)  | 70C(182.0A) | 33.5x39x116   | 335   | 48.1  |                    |
| 8626356 | SM2600XP-6   | 22.2V 2600mAh 6cell | 35C(91.0A)  | 70C(182.0A) | 40.0x39x116   | 393   | 57.72 | for T-REX 500, etc |
|         |              |                     |             |             |               |       |       |                    |
| 8633351 | SM3300XP-1   | 3.7V 3300mAh 1cell  | 35C(115.5A) | 70C(231.0A) | 6.8x43x129    | 81    | 12.21 |                    |
| 8633352 | SM3300XP-2   | 7.4V 3300mAh 2cell  | 35C(115.5A) | 70C(231.0A) | 14.5x44x136   | 186.7 | 24.42 |                    |
| 8633353 | SM3300XP-3   | 11.1V 3300mAh 3cell | 35C(115.5A) | 70C(231.0A) | 21.5x44x136   | 286.5 | 36.63 |                    |
| 8633354 | SM3300XP-4   | 14.8V 3300mAh 4cell | 35C(115.5A) | 70C(231.0A) | 28.5x44x136   | 362   | 48.84 |                    |
| 8633355 | SM3300XP-5   | 18.5V 3300mAh 5cell | 35C(115.5A) | 70C(231.0A) | 35.5x44x137   | 449.2 | 61.05 |                    |
| 8633356 | SM3300XP-6   | 22.2V 3300mAh 6cell | 35C(115.5A) | 70C(231.0A) | 42.5x44x137   | 526   | 73.26 |                    |
| 86333L6 | SM3300XP-6L  | 22.2V 3300mAh 6cell | 35C(115.5A) | 70C(231.0A) | 22.5x48x272   | 566   | 73.26 | Long Configuration |
| 8633357 | SM3300XP-7   | 25.9V 3300mAh 7cell | 35C(115.5A) | 70C(231.0A) | 49.5x44.5x137 | 622.5 | 85.47 |                    |
| 8633358 | SM3300XP-8   | 29.6V 3300mAh 8cell | 35C(115.5A) | 70C(231.0A) | 56.5x44.5x137 | 695   | 97.68 |                    |
| 86333L8 | SM3300XP-8L  | 29.6V 3300mAh 8cell | 35C(115.5A) | 70C(231.0A) | 29.5x48x272   | 736   | 97.68 | Long Configuration |
|         |              |                     |             |             |               |       |       |                    |
| 8637351 | SM3700XP-1   | 3.7V 3700mAh 1cell  | 35C(129.5A) | 70C(259.0A) | 7.5x43x129    | 93.5  | 13.69 |                    |
| 8637352 | SM3700XP-2   | 7.4V 3700mAh 2cell  | 35C(129.5A) | 70C(259.0A) | 16x44x136     | 197.3 | 27.38 |                    |
| 8637353 | SM3700XP-3   | 11.1V 3700mAh 3cell | 35C(129.5A) | 70C(259.0A) | 23.5x44x136   | 316   | 41.07 |                    |
| 8637354 | SM3700XP-4   | 14.8V 3700mAh 4cell | 35C(129.5A) | 70C(259.0A) | 31.0x44x136   | 400.5 | 54.76 |                    |
| 8637355 | SM3700XP-5   | 18.5V 3700mAh 5cell | 35C(129.5A) | 70C(259.0A) | 38.5x44x137   | 492   | 68.45 |                    |
| 8637356 | SM3700XP-6   | 22.2V 3700mAh 6cell | 35C(129.5A) | 70C(259.0A) | 46x44x137     | 582.5 | 82.14 |                    |
| 86373L6 | SM3700XP-6L  | 22.2V 3700mAh 6cell | 35C(129.5A) | 70C(259.0A) | 24.5x45x272   | 614   | 82.14 | Long Configuration |

|         |             |                         |             |             |               |       |        |                    |
|---------|-------------|-------------------------|-------------|-------------|---------------|-------|--------|--------------------|
| 8637357 | SM3700XP-7  | 25.9V 3700mAh 7cell     | 35C(129.5A) | 70C(259.0A) | 54x44.5x137   | 690   | 95.83  |                    |
| 8637358 | SM3700XP-8  | 29.6V 3700mAh 8cell     | 35C(129.5A) | 70C(259.0A) | 61.5x44.5x137 | 771   | 109.52 |                    |
| 86373L8 | SM3700XP-8L | 29.6V 3700mAh 8cell     | 35C(129.5A) | 70C(259.0A) | 32x48x272     | 814   | 109.52 | Long Configuration |
| 8637359 | SM3700XP-9  | 33.3V 3700mAh 9cell     | 35C(129.5A) | 70C(259.0A) | 69.5x44.5x137 | 877   | 123.21 |                    |
| 8637350 | SM3700XP-0  | 37.0V 3700mAh<br>10cell | 35C(129.5A) | 70C(259.0A) | 77x44.5x137   | 960   | 136.9  |                    |
| 86373L0 | SM3700XP-0L | 37.0V 3700mAh<br>10cell | 35C(129.5A) | 70C(259.0A) | 39.5x48x272   | 1003  | 136.9  | Long Configuration |
|         |             |                         |             |             |               |       |        |                    |
| 8645351 | SM4500XP-1  | 3.7V 4500mAh 1cell      | 35C(157.5A) | 70C(315.0A) | 7.5x44x152    | 112   | 16.65  |                    |
| 8645352 | SM4500XP-2  | 7.4V 4500mAh 2cell      | 35C(157.5A) | 70C(315.0A) | 16.0x45x160   | 250   | 33.3   |                    |
| 8645353 | SM4500XP-3  | 11.1V 4500mAh 3cell     | 35C(157.5A) | 70C(315.0A) | 23.5x48x160   | 372   | 49.95  |                    |
| 8645354 | SM4500XP-4  | 14.8V 4500mAh 4cell     | 35C(157.5A) | 70C(315.0A) | 31x45x160     | 478.5 | 66.6   |                    |
| 8645355 | SM4500XP-5  | 18.5V 4500mAh 5cell     | 35C(157.5A) | 70C(315.0A) | 38.5x48x160   | 600   | 83.25  |                    |
| 8645356 | SM4500XP-6  | 22.2V 4500mAh 6cell     | 35C(157.5A) | 70C(315.0A) | 46x45x160     | 703   | 99.9   |                    |
| 86453L6 | SM4500XP-6L | 22.2V 4500mAh 6cell     | 35C(157.5A) | 70C(315.0A) | 24.5x48x320   | 753   | 99.9   | Long Configuration |
| 8645357 | SM4500XP-7  | 25.9V 4500mAh 7cell     | 35C(157.5A) | 70C(315.0A) | 54x48x160     | 818   | 116.55 |                    |
| 8645358 | SM4500XP-8  | 29.6V 4500mAh 8cell     | 35C(157.5A) | 70C(315.0A) | 61.5x46x160   | 930   | 133.2  |                    |
| 86453L8 | SM4500XP-8L | 29.6V 4500mAh 8cell     | 35C(157.5A) | 70C(315.0A) | 32x45x320     | 980   | 133.2  | Long Configuration |
| 8645359 | SM4500XP-9  | 33.3V 4500mAh 9cell     | 35C(157.5A) | 70C(315.0A) | 70x48.5x160   | 1055  | 149.85 |                    |
| 8645350 | SM4500XP-0  | 37.0V 4500mAh<br>10cell | 35C(157.5A) | 70C(315.0A) | 77x45.5x160   | 1158  | 166.5  |                    |
| 86453L0 | SM4500XP-0L | 37.0V 4500mAh<br>10cell | 35C(157.5A) | 70C(315.0A) | 40x48x320     | 1210  | 166.5  | Long Configuration |
|         |             |                         |             |             |               |       |        |                    |
| 8650351 | SM5000XP-1  | 3.7V 5000mAh 1cell      | 35C(175.0A) | 70C(350.0A) | 8.5x45x152    | 125   | 18.5   |                    |
| 8650352 | SM5000XP-2  | 7.4V 5000mAh 2cell      | 35C(175.0A) | 70C(350.0A) | 17.3x46x155   | 272   | 37     |                    |
| 8650353 | SM5000XP-3  | 11.1V 5000mAh 3cell     | 35C(175.0A) | 70C(350.0A) | 26x46x155     | 402   | 55.5   |                    |
| 8650354 | SM5000XP-4  | 14.8V 5000mAh 4cell     | 35C(175.0A) | 70C(350.0A) | 34.5x46x155   | 525   | 74     |                    |
| 8650355 | SM5000XP-5  | 18.5V 5000mAh 5cell     | 35C(175.0A) | 70C(350.0A) | 43.5x46x156   | 655   | 92.5   |                    |
| 8650356 | SM5000XP-6  | 22.2V 5000mAh 6cell     | 35C(175.0A) | 70C(350.0A) | 52.5x46x156   | 778   | 111    |                    |
| 86503L9 | SM5000XP-6L | 22.2V 5000mAh 6cell     | 35C(175.0A) | 70C(350.0A) | 27x48x310     | 828   | 111    | Long Configuration |
| 8650357 | SM5000XP-7  | 25.9V 5000mAh 7cell     | 35C(175.0A) | 70C(350.0A) | 61x46.5x156   | 906   | 129.5  |                    |
| 8650358 | SM5000XP-8  | 29.6V 5000mAh 8cell     | 35C(175.0A) | 70C(350.0A) | 69.5x46.5x157 | 1030  | 148    |                    |
| 86503L8 | SM5000XP-8L | 29.6V 5000mAh 8cell     | 35C(175.0A) | 70C(350.0A) | 35.5x48x310   | 1082  | 148    | Long Configuration |
| 8650359 | SM5000XP-9  | 33.3V 5000mAh 9cell     | 35C(175.0A) | 70C(350.0A) | 78.2x46.5x157 | 1160  | 166.5  |                    |
| 8650350 | SM5000XP-0  | 37.0V 5000mAh<br>10cell | 35C(175.0A) | 70C(350.0A) | 87x46.5x157   | 1286  | 185    |                    |
| 86503L0 | SM5000XP-0L | 37.0V 5000mAh<br>10cell | 35C(175.0A) | 70C(350.0A) | 44.5x48x310   | 1334  | 185    | Long Configuration |

| Item    | model      | Description         | Max cont.<br>discharge<br>(Crate/current) | Max Burst<br>(3Sec)<br>(Crate/current) | Approx.<br>dimensions H x W<br>x L (mm) | Approx.<br>Weight<br>(g) | Wh    | Notes                        |
|---------|------------|---------------------|---|--|---|--------------------------|-------|------------------------------|
| 8686251 | SM860HP-1  | 3.7V 860mAh 1cell   | 25C(21.5A)                                | 50C(43A)                               | 6.2x25x66                               | 21.5                     | 3.18  |                              |
| 8686252 | SM860HP-2  | 7.4V 860mAh 2cell   | 25C(21.5A)                                | 50C(43A)                               | 13.6x26x70                              | 47.5                     | 6.36  | With JST - for Blade CX. Etc |
| 8686253 | SM860HP-3  | 11.1V 860mAh 3cell  | 25C(21.5A)                                | 50C(43A)                               | 20x26x70                                | 68.5                     | 9.55  | With JST - for Blade CP. Etc |
|         |            |                     |   |  |   |                          |       |                              |
| 8610251 | SM1000HP-1 | 3.7V 1000mAh 1cell  | 25C(25.0A)                                | 50C(50.0A)                             | 5.3x34x62                               | 24.6                     | 3.7   |                              |
| 8610252 | SM1000HP-2 | 7.4V 1000mAh 2cell  | 25C(25.0A)                                | 50C(50.1A)                             | 11.5x35x66                              | 56.5                     | 7.4   |                              |
| 8610253 | SM1000HP-3 | 11.1V 1000mAh 3cell | 25C(25.0A)                                | 50C(50.2A)                             | 16.5x35x66                              | 83.5                     | 11.1  |                              |
|         |            |                     |   |  |   |                          |       |                              |
| 8612251 | SM1200HP-1 | 3.7V 1200mAh 1cell  | 25C(30.0A)                                | 50C(60.0A)                             | 7.2x30x60                               | 29                       | 4.44  |                              |
| 8612252 | SM1200HP-2 | 7.4V 1200mAh 2cell  | 25C(30.0A)                                | 50C(60.0A)                             | 15.5x31x64                              | 63.5                     | 8.88  |                              |
| 8612253 | SM1200HP-3 | 11.1V 1200mAh 3cell | 25C(30.0A)                                | 50C(60.0A)                             | 22.5x31x64                              | 92.5                     | 13.32 |                              |

|         |             |                         |              |             |               |       |        |                         |
|---------|-------------|-------------------------|--------------|-------------|---------------|-------|--------|-------------------------|
|         |             |                         |              |             |               |       |        |                         |
| 8613251 | SM1250HP-1  | 3.7V 1250mAh 1cell      | 25C(31.3A)   | 50C(62.5A)  | 4.5x34.5x96   | 32    | 4.63   |                         |
| 8613252 | SM1250HP-2  | 7.4V 1250mAh 2cell      | 25C(31.3A)   | 50C(62.5A)  | 9.5x35x101    | 72    | 9.25   |                         |
| 8613253 | SM1250HP-3  | 11.1V 1250mAh 3cell     | 25C(31.3A)   | 50C(62.5A)  | 14.2x35x101   | 106   | 13.88  |                         |
| 8613254 | SM1250HP-4  | 14.8V 1250mAh 4cell     | 25C(31.3A)   | 50C(62.5A)  | 19x35x101     | 138   | 18.5   |                         |
| 8613255 | SM1250HP-5  | 18.5V 1250mAh 5cell     | 25C(31.3A)   | 50C(62.5A)  | 24x35x102     | 174   | 23.13  |                         |
| 8613256 | SM1250HP-6  | 22.2V 1250mAh 6cell     | 25C(31.3A)   | 50C(62.5A)  | 29x35x102     | 206   | 27.75  |                         |
|         |             |                         |              |             |               |       |        |                         |
| 8616251 | SM1600HP-1  | 3.7V 1600mAh 1cell      | 25C(40.0A)   | 50C(80.0A)  | 6.0x34x80     | 38.9  | 5.92   |                         |
| 8616252 | SM1600HP-2  | 7.4V 1600mAh 2cell      | 25C(40.0A)   | 50C(80.0A)  | 13x35x85      | 84.4  | 11.84  |                         |
| 8616253 | SM1600HP-3  | 11.1V 1600mAh 3cell     | 25C(40.0A)   | 50C(80.0A)  | 20x35x85      | 124.6 | 17.76  |                         |
|         |             |                         |              |             |               |       |        |                         |
| 8618251 | SM1800HP-1  | 3.7V 1800mAh 1cell      | 25C(45.0A)   | 50C(90.0A)  | 5.8x34x96     | 44    | 6.66   |                         |
| 8618252 | SM1800HP-2  | 7.4V 1800mAh 2cell      | 25C(45.0A)   | 50C(90.0A)  | 13x35x101     | 98.6  | 13.32  |                         |
| 8618253 | SM1800HP-3  | 11.1V 1800mAh 3cell     | 25C(45.0A)   | 50C(90.0A)  | 19.5x35x101   | 145.5 | 19.98  |                         |
|         |             |                         |              |             |               |       |        |                         |
| 8622251 | SM2200HP-1  | 3.7V 2200mAh 1cell      | 25C(55.0A)   | 50C(110.0A) | 7.0x34x96     | 51.9  | 8.14   |                         |
| 8622252 | SM2200HP-2  | 7.4V 2200mAh 2cell      | 25C(55.0A)   | 50C(110.0A) | 15x35x101     | 113   | 16.28  |                         |
| 8622253 | SM2200HP-3  | 11.1V 2200mAh 3cell     | 25C(55.0A)   | 50C(110.0A) | 22.0x35x101   | 166.5 | 24.42  |                         |
| 8622254 | SM2200HP-4  | 14.8V 2200mAh 4cell     | 25C(55.0A)   | 50C(110.0A) | 30x35x101     | 217   | 32.56  |                         |
|         |             |                         |              |             |               |       |        |                         |
| 8632251 | SM3250HP-1  | 3.7V 3250mAh 1 cell     | 25C(81.25A)  | 50C(162.5)  | 5.5x44x129    | 76    | 12.03  |                         |
| 8632252 | SM3250HP-2  | 7.4V 3250mAh 2cell      | 25C(81.25A)  | 50C(162.5)  | 12.2x45x136   | 168   | 24.05  |                         |
| 8632253 | SM3250HP-3  | 11.1V 3250mAh 3cell     | 25C(81.25A)  | 50C(162.5)  | 17.8x45x136   | 245   | 36.08  |                         |
| 8632254 | SM3250HP-4  | 14.8V 3250mAh 4cell     | 25C(81.25A)  | 50C(162.5)  | 24.0x45x136   | 320   | 48.1   |                         |
| 8632255 | SM3250HP-5  | 18.5V 3250mAh 5cell     | 25C(81.25A)  | 50C(162.5)  | 29.5x45x136   | 402   | 60.13  |                         |
| 8632256 | SM3250HP-6  | 22.2V 3250mAh 6cell     | 25C(81.25A)  | 50C(162.5)  | 35.0x45x137   | 478   | 72.15  |                         |
| 8632257 | SM3250HP-7  | 25.9V 3250mAh 6cell     | 25C(81.25A)  | 50C(162.5)  | 39.5x45.5x137 | 554   | 84.18  |                         |
| 8632258 | SM3250HP-8  | 29.6V 3250mAh 7cell     | 25C(81.25A)  | 50C(162.5)  | 45.5x44.5x137 | 632   | 96.2   |                         |
| 8632259 | SM3250HP-9  | 33.3V 3250mAh 8cell     | 25C(81.25A)  | 50C(162.5)  | 51.5x45.5x137 | 708   | 108.23 |                         |
| 8632250 | SM3250HP-0  | 37.0V 3250mAh 8cell     | 25C(81.25A)  | 50C(162.5)  | 57.5x45.5x137 | 788   | 120.25 |                         |
|         |             |                         |              |             |               |       |        |                         |
| 8642251 | SM4250HP-1  | 3.7V 4250mAh 1cell      | 25C(106.25A) | 50C(212.5A) | 8.4x43x129    | 99    | 15.73  |                         |
| 8642252 | SM4250HP-2  | 7.4V 4250mAh 2cell      | 25C(106.25A) | 50C(212.5A) | 17.5x44x136   | 218   | 31.45  |                         |
| 8642253 | SM4250HP-3  | 11.1V 4250mAh 3cell     | 25C(106.25A) | 50C(212.5A) | 26x44x136     | 320   | 47.18  |                         |
| 8642254 | SM4250HP-4  | 14.8V 4250mAh 4cell     | 25C(106.25A) | 50C(212.5A) | 35x44x136     | 420   | 62.9   |                         |
| 8642255 | SM4250HP-5  | 18.5V 4250mAh 5cell     | 25C(106.25A) | 50C(212.5A) | 43.5x44x137   | 520   | 78.63  |                         |
| 8642256 | SM4250HP-6  | 22.2V 4250mAh 6cell     | 25C(106.25A) | 50C(212.5A) | 52.5x44x137   | 621   | 94.35  |                         |
| 86422L6 | SM4250HP-6L | 22.2V 4250mAh 6cell     | 25C(106.25A) | 50C(212.5A) | 27x47x274     | 652   | 94.35  | Long Configuration      |
| 8642257 | SM4250HP-7  | 25.9V 4250mAh 7cell     | 25C(106.25A) | 50C(212.5A) | 61x44.5x137   | 722   | 110.08 |                         |
| 8642258 | SM4250HP-8  | 29.6V 4250mAh 8cell     | 25C(106.25A) | 50C(212.5A) | 69.5x44.5x138 | 821   | 125.8  |                         |
| 86422L8 | SM4250HP-8L | 29.6V 4250mAh 8cell     | 25C(106.25A) | 50C(212.5A) | 36x47x274     | 854   | 125.8  | Long Configuration      |
| 8642259 | SM4250HP-9  | 33.3V 4250mAh 9cell     | 25C(106.25A) | 50C(212.5A) | 78x44.5x138   | 922   | 141.53 |                         |
| 8642250 | SM4250HP-0  | 37.0V 4250mAh<br>10cell | 25C(106.25A) | 50C(212.5A) | 86.5x44.5x138 | 1022  | 157.25 | For F3A,gaint scale,etc |
| 86422L0 | SM4250HP-0L | 37.0V 4250mAh<br>10cell | 25C(106.25A) | 50C(212.5A) | 44.5x47x274   | 1052  | 157.25 | Long Configuration      |
|         |             |                         |              |             |               |       |        |                         |
| 8649251 | SM4900HP-1  | 3.7V 4900mAh 1cell      | 25C(122.5A)  | 50C(245.0A) | 9.2x43x129    | 114.5 | 18.13  |                         |
| 8649252 | SM4900HP-2  | 7.4V 4900mAh 2cell      | 25C(122.5A)  | 50C(245.0A) | 19x44x136     | 247   | 36.26  |                         |
| 8649253 | SM4900HP-3  | 11.1V 4900mAh 3cell     | 25C(122.5A)  | 50C(245.0A) | 28.5x44x136   | 361.5 | 54.39  |                         |
| 8649254 | SM4900HP-4  | 14.8V 4900mAh 4cell     | 25C(122.5A)  | 50C(245.0A) | 38x44x136     | 477   | 72.52  |                         |

|         |             |                         |             |             |               |        |        |                         |
|---------|-------------|-------------------------|-------------|-------------|---------------|--------|--------|-------------------------|
| 8649255 | SM4900HP-5  | 18.5V 4900mAh 5cell     | 25C(122.5A) | 50C(245.0A) | 47.5x44x137   | 591.5  | 90.65  |                         |
| 8649256 | SM4900HP-6  | 22.2V 4900mAh 6cell     | 25C(122.5A) | 50C(245.0A) | 57x44x137     | 706    | 108.78 |                         |
| 86492L6 | SM4900HP-6L | 22.2V 4900mAh 6cell     | 25C(122.5A) | 50C(245.0A) | 29.5x48x274   | 738    | 108.78 | Long Configuration      |
| 8649257 | SM4900HP-7  | 25.9V 4900mAh 7cell     | 25C(122.5A) | 50C(245.0A) | 66.5x44x137   | 823.5  | 126.91 |                         |
| 8649258 | SM4900HP-8  | 29.6V 4900mAh 8cell     | 25C(122.5A) | 50C(245.0A) | 76x44.5x137   | 936    | 145.04 |                         |
| 86492L8 | SM4900HP-8L | 29.6V 4900mAh 8cell     | 25C(122.5A) | 50C(245.0A) | 39x48x274     | 980    | 145.04 | Long Configuration      |
| 8649259 | SM4900HP-9  | 33.3V 4900mAh 9cell     | 25C(122.5A) | 50C(245.0A) | 85.5x44.5x137 | 1052.5 | 163.17 |                         |
| 8649250 | SM4900HP-0  | 37.0V 4900mAh<br>10cell | 25C(122.5A) | 50C(245.0A) | 95x44.5x137   | 1166   | 181.3  | For F3A,gaint scale,etc |
| 86492L0 | SM4900HP-0L | 37.0V 4900mAh<br>10cell | 25C(122.5A) | 50C(245.0A) | 48.5x48x274   | 1205   | 181.3  | Long Configuration      |
|         |             |                         |             |             |               |        |        |                         |
| 8661251 | SM6100HP-1  | 3.7V 6100mAh 1cell      | 25C(152.5A) | 50C(305.0A) | 9.2x44x165    | 135    | 22.57  |                         |
| 8661252 | SM6100HP-2  | 7.4V 6100mAh 2cell      | 25C(152.5A) | 50C(305.0A) | 18.8x45x174   | 291    | 45.14  |                         |
| 8661253 | SM6100HP-3  | 11.1V 6100mAh 3cell     | 25C(152.5A) | 50C(305.0A) | 27.5x49x174   | 437    | 67.71  |                         |
| 8661254 | SM6100HP-4  | 14.8V 6100mAh 4cell     | 25C(152.5A) | 50C(305.0A) | 36.5x45x174   | 561    | 90.28  |                         |
| 8661255 | SM6100HP-5  | 18.5V 6100mAh 5cell     | 25C(152.5A) | 50C(305.0A) | 45.5x49x75    | 707    | 112.85 |                         |
| 8661256 | SM6100HP-6  | 22.0V 6100mAh 6cell     | 25C(152.5A) | 50C(305.0A) | 54.5x45x175   | 831    | 135.42 |                         |
| 86612L6 | SM6100HP-6L | 22.2V 6100mAh 6cell     | 25C(152.5A) | 50C(305.0A) | 28.5x48x344   | 875    | 135.42 | Long Configuration      |
| 8661257 | SM6100HP-7  | 25.9V 6100mAh 7cell     | 25C(152.5A) | 50C(305.0A) | 63.5x49x175   | 977    | 157.99 |                         |
| 8661258 | SM6100HP-8  | 29.6V 6100mAh 8cell     | 25C(152.5A) | 50C(305.0A) | 72x45.5x175   | 1100   | 180.56 |                         |
| 86612L8 | SM6100HP-8L | 29.6V 6100mAh 8cell     | 25C(152.5A) | 50C(305.0A) | 37.5x45x344   | 1140   | 180.56 | Long Configuration      |
| 8661259 | SM6100HP-9  | 33.3V 6100mAh 9cell     | 25C(152.5A) | 50C(305.0A) | 81x49x175     | 1247   | 203.13 |                         |
| 8661250 | SM6100HP-0  | 37.0V 6100mAh<br>10cell | 25C(152.5A) | 50C(305.0A) | 90x45.5x175   | 1370   | 225.7  | For F3A,gaint scale,etc |
| 86612L0 | SM6100HP-0L | 37.0V 6100mAh<br>10cell | 25C(152.5A) | 50C(305.0A) | 46.5x48x344   | 1415   | 225.7  | Long Configuration      |

| Item    | model       | Description        | Max cont.<br>discharge<br>(Crate/current) | Max Burst<br>(3Sec)<br>(Crate/current) | Approx.<br>dimensions H x W<br>x L (mm) | Approx.<br>Weight<br>(g) | Wh   | Notes                               |
|---------|-------------|--------------------|---|--|---|--------------------------|------|-------------------------------------|
| 8614251 | SM120XL-1   | 3.7V 120mAh 1cell  | 25C(3.0A)                                 | 50C(6.0A)                              | 5.5X11X30<br>(7.0x12.2x34.5)            | 3.4                      | 0.44 | MCX Plug/contacter                  |
|         |             |                    |   |  |   |                          |      |                                     |
| 8615251 | SM150XL-1   | 3.7V 150mAh 1cell  | 25C(3.75A)                                | 50C(7.5A)                              | 5.5X11X36<br>(7.0x12.2x41)              | 4.1                      | 0.56 | MCX Plug/contacter                  |
|         |             |                    |   |  |   |                          |      |                                     |
| 8617251 | SM175XL-1   | 3.7V 175mAh 1cell  | 25C(4.4A)                                 | 50C(8.8A)                              | 5.5x11.5x43<br>(7.0X12.2X47)            | 4.9                      | 0.65 | with housing and contacter          |
|         |             |                    |   |  |   |                          |      |                                     |
| 8620251 | SM200XL-1   | 3.7V 200mAh 1cell  | 25C(5.0A)                                 | 50C(10A.0A)                            | 5.0X20.5X31                             | 3.6                      | 0.74 |                                     |
| 8620252 | SM200XL-2   | 7.4V 200mAh 1cell  | 25C(5.0A)                                 | 50C(10A.0A)                            | 10.5X21.5X35                            | 12.5                     | 1.48 | SYP+XHP Plug                        |
|         |             |                    |   |  |   |                          |      |                                     |
| 8630251 | SM300XL-1   | 3.7V 300mAh 1cell  | 25C(7.5A)                                 | 50C(15.0A)                             | 7.0x17.5x36<br>(7.5X18X42)              | 7.6                      | 1.11 | JST-PHR-2P Plug                     |
|         |             |                    |   |  |   |                          |      |                                     |
| 8635251 | SM350XL-1   | 3.7V 350mAh 1cell  | 25C(8.75A)                                | 50C(17.5A)                             | 6.5x20x36                               | 9.5                      | 1.3  | With JST connector                  |
| 8635252 | SM350XL-2   | 7.4V 350mAh 2cell  | 25C(8.75A)                                | 50C(17.5A)                             | 14x21x40                                | 22                       | 2.59 | With JST connector                  |
| 86352P3 | SM350XL-3JP | 11.1V 350mAh 3cell | 25C(8.75A)                                | 50C(17.5A)                             | 21x21x40                                | 33.5                     | 3.89 | With JST connector                  |
|         |             |                    |   |  |   |                          |      |                                     |
| 8645201 | SM450XL-1   | 3.7V 450mAh 1cell  | 20C(9.0A)                                 | 40C(18.0A)                             | 3.8x30x48                               | 13                       | 1.67 |                                     |
| 8645202 | SM450XL-2   | 7.4V 450mAh 2cell  | 20C(9.0A)                                 | 40C(18.0A)                             | 8.5x31x52                               | 31                       | 3.33 | With JST connector                  |
| 86452P3 | SM450XL-3JP | 11.1V 450mAh 3cell | 20C(9.0A)                                 | 40C(18.0A)                             | 12.5x31x52                              | 45                       | 5    | With JST connector                  |
|         |             |                    |   |  |   |                          |      |                                     |
| 8655151 | SM550XL-1   | 3.7V 550mAh 1cell  | 15C(8.25A)                                | 30C(16.5A)                             | 7.0x18x58                               | 15.1                     | 2.04 | With PCM and JST connector<br>18.06 |
| 8655152 | SM550XL-2   | 3.7V 550mAh 2cell  | 15C(8.25A)                                | 30C(16.5A)                             | 15.0x19x59                              | 29.8                     | 4.07 |                                     |
|         |             |                    |   |  |   |                          |      |                                     |

|         |              |                      |            |             |               |      |        |                          |
|---------|--------------|----------------------|------------|-------------|---------------|------|--------|--------------------------|
| 8665151 | SM650XL-1    | 3.7V 650mAh 1cell    | 15C(9.75A) | 30C(19.5A)  | 9.0x25x40     | 16   | 2.41   |                          |
| 8665152 | SM650XL-2    | 7.4V 650mAh 2cell    | 15C(9.75A) | 30C(19.5A)  | 18.5x26x44    | 37   | 4.81   |                          |
| 8665153 | SM650XL-3    | 11.1V 650mAh 3cell   | 15C(9.75A) | 30C(19.5A)  | 28x26x44      | 53   | 7.22   | With JST connector & PCM |
|         |              |                      |            |             |               |      |        |                          |
| 8680151 | SM800XL-1    | 3.7V 800mAh 1cell    | 15C(12.0A) | 30C(24.0A)  | 7.0x30x48     | 21   | 2.96   |                          |
| 8680152 | SM800XL-2    | 7.4V 800mAh 2cell    | 15C(12.0A) | 30C(24.0A)  | 16x31x52      | 49   | 5.92   | With JST connector       |
| 8680153 | SM800XL-3    | 11.1V 800mAh 3cell   | 15C(12.0A) | 30C(24.0A)  | 23x31x52      | 70.5 | 8.88   | With JST connector       |
|         |              |                      |            |             |               |      |        |                          |
| 8610151 | SM1000XL-1   | 3.7V 1000mAh 1cell   | 15C(15.0A) | 30C(30.0A)  | 6.0x34x62     | 26.5 | 3.7    |                          |
| 8610152 | SM1000XL-2   | 7.4V 1000mAh 2cell   | 15C(15.0A) | 30C(30.0A)  | 13x35x66      | 63   | 7.4    |                          |
| 8610153 | SM1000XL-3   | 11.1V 1000mAh 3cell  | 15C(15.0A) | 30C(30.0A)  | 19x35x66      | 91.5 | 11.1   |                          |
|         |              |                      |            |             |               |      |        |                          |
| 8613201 | SM1300XL-1   | 3.7V 1300mAh 1cell   | 20C(26.0A) | 40C(52.0A)  | 6.8x34x62     | 29.5 | 4.81   |                          |
| 86132P2 | SM1300XL-2JP | 7.4V 1300mAh 2cell   | 20C(26.0A) | 40C(52.0A)  | 14.5x35x66    | 69   | 9.62   | With JST connector       |
| 86132P3 | SM1300XL-3JP | 11.1V 1300mAh 3cell  | 20C(26.0A) | 40C(52.0A)  | 21.5x35x66    | 100  | 14.43  | With JST connector       |
| 8613202 | SM1300XL-2   | 7.4V 1300mAh 2cell   | 20C(26.0A) | 40C(52.0A)  | 14.5x35x66    | 69   | 9.62   |                          |
| 8613203 | SM1300XL-3   | 11.1V 1300mAh 3cell  | 20C(26.0A) | 40C(52.0A)  | 21.5x35x66    | 100  | 14.43  |                          |
| 8613204 | SM1300XL-4   | 14.8V 1300mAh 4cell  | 20C(26.0A) | 40C(52.0A)  | 28.5x35x66    | 132  | 19.24  |                          |
|         |              |                      |            |             |               |      |        |                          |
| 8621201 | SM2100XL-1   | 3.7V 2100mAh 1cell   | 20C(42.0A) | 40C(84.0A)  | 6.8x34x96     | 45.5 | 7.77   |                          |
| 8621202 | SM2100XL-2   | 7.4V 2100mAh 2cell   | 20C(42.0A) | 40C(84.0A)  | 14.5x35x101   | 100  | 15.54  |                          |
| 8621203 | SM2100XL-3   | 11.1V 2100mAh 3cell  | 20C(42.0A) | 40C(84.0A)  | 21.5x35x101   | 148  | 23.31  | For Blade 400,etc        |
| 8621204 | SM2100XL-4   | 14.8V 2100mAh 4cell  | 20C(42.0A) | 40C(84.0A)  | 28x35x101     | 195  | 31.08  |                          |
|         |              |                      |            |             |               |      |        |                          |
| 8627201 | SM2700XL-1   | 3.7V 2700mAh 1cell   | 20C(54.0A) | 40C(108.0A) | 8.5x34.5x96   | 57.5 | 9.99   |                          |
| 8627202 | SM2700XL-2   | 7.4V 2700mAh 2cell   | 20C(54.0A) | 40C(108.0A) | 17.5x35x101   | 130  | 19.98  |                          |
| 8627203 | SM2700XL-3   | 11.1V 2700mAh 3cell  | 20C(54.0A) | 40C(108.0A) | 26x35x101     | 188  | 29.97  |                          |
| 8627204 | SM2700XL-4   | 14.8V 2700mAh 4cell  | 20C(54.0A) | 40C(108.0A) | 34.5x35x101   | 246  | 39.96  |                          |
| 8627205 | SM2700XL-5   | 18.5V 2700mAh 5cell  | 20C(54.0A) | 40C(108.0A) | 43.5x35x102   | 304  | 49.95  |                          |
| 8627206 | SM2700XL-6   | 22.2V 2700mAh 6cell  | 20C(54.0A) | 40C(108.0A) | 52.5x35x102   | 362  | 59.94  |                          |
|         |              |                      |            |             |               |      |        |                          |
| 8639201 | SM3900XL-1   | 3.7V 3900mAh 1cell   | 20C(78.0A) | 40C(156.0A) | 6.8x43x129    | 96.5 | 14.43  |                          |
| 8639202 | SM3900XL-2   | 7.4V 3900mAh 2cell   | 20C(78.0A) | 40C(156.0A) | 14.3x44x136   | 210  | 28.86  |                          |
| 8639203 | SM3900XL-3   | 11.1V 3900mAh 3cell  | 20C(78.0A) | 40C(156.0A) | 21.4x44x136   | 308  | 43.29  |                          |
| 8639204 | SM3900XL-4   | 14.8V 3900mAh 4cell  | 20C(78.0A) | 40C(156.0A) | 28.5x44x136   | 406  | 57.72  |                          |
| 8639205 | SM3900XL-5   | 18.5V 3900mAh 5cell  | 20C(78.0A) | 40C(156.0A) | 36.5x44x137   | 505  | 72.15  |                          |
| 8639206 | SM3900XL-6   | 22.2V 3900mAh 6cell  | 20C(78.0A) | 40C(156.0A) | 43.4x44x137   | 603  | 86.58  |                          |
| 86392L6 | SM3900XL-6L  | 22.2V 3900mAh 6cell  | 20C(78.0A) | 40C(156.0A) | 22.7x47x274   | 632  | 86.58  | Long Configuration       |
| 8639207 | SM3900XL-7   | 25.9V 3900mAh 7cell  | 20C(78.0A) | 40C(156.0A) | 51.8x44x137   | 702  | 101.01 |                          |
| 8639208 | SM3900XL-8   | 29.6V 3900mAh 8cell  | 20C(78.0A) | 40C(156.0A) | 59.2x44.5x137 | 800  | 115.44 |                          |
| 86392L8 | SM3900XL-8L  | 29.6V 3900mAh 8cell  | 20C(78.0A) | 40C(156.0A) | 29.7x47x274   | 832  | 115.44 | Long Configuration       |
| 8639209 | SM3900XL-9   | 33.3V 3900mAh 9cell  | 20C(78.0A) | 40C(156.0A) | 66.5x44.5x137 | 898  | 129.87 |                          |
| 8639200 | SM3900XL-0   | 37.0V 3900mAh 10cell | 20C(78.0A) | 40C(156.0A) | 74.0x44.5x137 | 997  | 144.3  |                          |
| 86392L0 | SM3900XL-0L  | 37.0V 3900mAh 10cell | 20C(78.0A) | 40C(156.0A) | 37.5x47x274   | 1030 | 144.3  | Long Configuration       |